


# PROCENTEC

Member of the HMS group.



## **EtherTAP 10/100 & 1G**

User manual V1.0.2

# Important information

## Purpose of the Manual

This user manual provides information how to work with EtherTAP 100 and 1G.

## Recycling and Disposal

The parts of the EtherTAP can be recycled. For further information about environment-friendly recycling and the procedure for disposing of your old equipment, please contact:

PROCENTEC Headquarters  
Vlasmarkt 1  
3011PW Rotterdam  
The Netherlands

T: +31 (0)174 671 800  
E: [info@procentec.com](mailto:info@procentec.com)

## Document Updates

You can obtain constantly updated information on PROCENTEC products on the Internet at [www.procentec.com](http://www.procentec.com)

You can also contact PROCENTEC Customer Support:

- by phone at +31 (0)174 671 800
- by fax at +31 (0)174 671 801
- by email at [support@procentec.com](mailto:support@procentec.com)

# Content

- Important information ..... **Error! Bookmark not defined.**
  
- 1. The EtherTAP ..... 4
  - 1.1 Introduction ..... 4
  
- 2. Installation instructions..... 6
  - 2.1 Hardware & driver installation ..... 6
    - 2.1.1 Insert the USB drive or download the driver package ..... 6
    - 2.1.2 Connect EtherTAP to the network ..... 6
    - 2.1.3 Connect the USB port..... 6
    - 2.1.4 Install the driver ..... 6
    - 2.1.5 Install Npcap..... 7
    - 2.1.6 Setup the EtherTAP Network Adapter ..... 7
  - 2.2 Analyzer Setup ..... 8
    - 2.2.1 Selecting EtherTAP as source for your Analyzer ..... 8
    - 2.2.2 Using alternative Wireshark..... 8
  
- 3. EtherTAP Manager ..... 9
  - 3.1 Features tab ..... 9
    - 3.1.1 Firmware update..... 10
  - 3.2 Capture tab ..... 10
  
- 4. Technical Data..... 11
  
- 5. Products and spare parts ..... 12
  
- 6. Revision history..... 13
  
- 7. Sales offices and distributors ..... **Error! Bookmark not defined.**
  
- 8. About PROCENTEC ..... **Error! Bookmark not defined.**

# 1.The EtherTAP

## 1.1 Introduction

The EtherTAP is an interface to utilize monitoring of an Ethernet network. It is an essential tool for Industrial Ethernet engineering and commissioning activities, especially to verify the connections and performance of RT, IRT and other real-time applications. There are two types; a 10 / -100 Mbit type and a 1000 Mbit (or 1Gbit) type.

The monitor port of switches is unreliable for monitoring; it can be occupied, not forwarding all the traffic or drop messages due to overload of the switch. Also, the load on the Ethernet port of the laptop can also be too high with real-time applications because 2 channels are merged in one. The EtherTAP has a USB link with the laptop that streams the captured messages to the accompanying driver which emulates an additional Ethernet port on the laptop and hands the messages over to any application.

The EtherTAP also prevents the laptop to send out messages on its own initiative, which could jeopardize the real-time behavior and security of the network.

EtherTAP cuts down the equipment needed for Network Analysis, even reducing the points of failure during analysis. Only an Atlas, Mercury or a PC and one EtherTAP are needed. The power is supplied by the USB3.0 connection. No extra adaptor is required, but can be connected optionally to provide extra power if the USB power is insufficient, or if higher availability is required.

In this manual you will find everything you need about how to install and use the product and the provided software.

### EtherTAP 10 / 100 visual description

- 1 Port A (RJ45) connected to the network, up to 100 Mbit
- 2 Port B (RJ45) connected to the network, up to 100 Mbit
- 3 Two green LEDs to indicate a 10 Mbit or 100 Mbit connection
- 4 LED to indicate a connection and/or activity on the cable
- 5 Green LED to give information about connection status
- 6 USB3.0 connector linked to your monitoring device (a Mercury or Atlas, a laptop or desktop computer)
- 7 An optional power input for 5 V/1A. This can be useful for uninterrupted power supply.



Figure 1: Identification of connections and LEDs for the 100 Mbit version

## EtherTAP 1G visual description

- 1 Port A (RJ45) connected to the network, up to 1 Gbit
- 2 Port B (RJ45) connected to the network, up to 1 Gbit
- 3 Two green LEDs to indicate a 10 Mbit, 100 Mbit or 1 Gbit connection
- 4 Green LED to indicate a connection and/or activity on the cable
- 5 Green LED to give information about connection status
- 6 USB3.0 connector linked to your monitoring device (a Mercury or Atlas, a laptop or desktop computer)
- 7 An optional power input for 5 V/1A. This can be useful for uninterrupted power supply.



Figure 2. Identification of connections and LEDs for the 1Gbit version

## 2. Installation instructions

### 2.1 Hardware & driver installation

The Atlas and Mercury come pre-installed with drivers for the EtherTAP. No further installation is required. Just connect your tap to the USB 2.0 of your Atlas or the USB 3.0 of your Mercury, and start monitoring your network with Osiris.

If you wish to use the EtherTAP on a laptop or PC, you can follow the driver installation instructions below.

#### 2.1.1 Insert the USB drive or download the driver package

Insert the supplied USB drive for accessing/copying the contents to an installation folder. It is recommended to copy the contents to your hard disk first, if there is no empty USB2.0 port available. After copying you may disconnect the USB key and proceed. Otherwise use the USB key for installation procedure and decide to connect the EtherTAP to a USB3.0 port and remove USB key when finished.

If you do not have the USB drive, download the driver package from our website:

<https://procentec.com/service-support/software-firmware>.

Register your personal data to access the download area. Registering is free and keeps you informed of product updates.

#### 2.1.2 Connect EtherTAP to the network

Connect the EtherTAP to the network using Category 5e FTP or STP (Foiled or Shielded Twisted Pair) cables, as shown in Figure 2. UTP (Unshielded Twisted Pair) cable is not recommended in industrial environments.

Network Port A: to DCE by straight Cable / to DTE by cross-over cable.

Network Port B: to DTE by straight Cable / to DCE by cross-over cable.

The maximum distance between any of the connected devices is 90 meters.

#### 2.1.3 Connect the USB port

Connect the USB port to a PC/MAC USB3.0 port and the green Power LED will illuminate. The cable length should not exceed 5 meters. The EtherTAP 100 type can be connected to a USB2.0 or USB3.0 port.

When you plug in the USB cable, but both RJ45 ports are not connected yet, then both network speed LEDs should blink every second.

When both RJ45 ports are connected to a link, you will see both 'Link/Activity' LEDs illuminate. When any data is received, these LEDs will blink on the respective port.

#### IMPORTANT NOTE:

Due to the Gigabit Ethernet design, The 1G version of EtherTAP requires the USB power for correct connection between the two RJ45 connections. This means that if the USB connector is removed, or the computer goes to sleep mode for example, the connection on the Ethernet link will be lost for 1 to 2 seconds! The EtherTAP 100 does not require USB maintain Ethernet connection, in case of disconnection of the USB link the Ethernet communication will continue without interruptions.

You can request the optional power supply to always maintain the EtherTAP powered.

#### 2.1.4 Install the driver

Install the driver according to your Operating System. The current available drivers are located on the USB key at the driver section or within your installation directory on your hard disk.

Supported O.S. are:  
Windows 7 / 8 / 10 (32 bit & 64 bit)  
MAC OS  
Linux

Please check the latest driver released for your Operating System in the User Section at <https://procentec.com/service-support/software-firmware>. Register your personal data to access the download area. Registering is free and keeps you informed of product updates.

After choosing the driver installer for your Operating system, simply run the installer and follow the installation instructions.

After installation, a restart may be required for Windows machines.

### 2.1.5 Install Npcap

To transfer the packets to the higher level operating system, you must install Npcap 0.995 or higher on your computer. Download it on [www.nmap.org/download](http://www.nmap.org/download).

### 2.1.6 Setup the EtherTAP Network Adapter

After the installation the EtherTap presents itself as a virtual Network Adapter to your Operating System and to any Analyzer.

The below settings are for internal communication only - there is no external effect nor are these settings presented or exposed to the monitored link.

In any case we recommend setting an IP address. The installed TAP driver (as under paragraph 2.1.4) is represented as a Network Adapter to your Operating System.

Notes:

Configure the IP Protocol Stack:

IP address: **192.168.0.1**

Subnet mask: **255.0.0.0**

**Note:** Gateway or DNS settings must be undefined.

The EtherTAP is now ready to use as source for your installed Analyzer.

## 2.2 Analyzer Setup

To perform analysis you can use either the powerful Osiris platform or any of the supported analyzers such as Wireshark.

### 2.2.1 Selecting EtherTAP as source for your Analyzer

Start your preferred Analyzer and select the new virtual device showing up at the "select NIC" window. Refer to your Analyzer's manual or the User Help about how to select a Network Interface Card.

### 2.2.2 Using alternative Wireshark

As an option you may install an alternate Analyzer.

#### Notes:

- Always follow the specific instructions as indicated by the installation manual/wizard of the chosen Analyzer.
- In addition, perform step 2.2.1 to enable EtherTAP to be the selected resource for Analysis.
- Make sure to use the latest available version if any problem occurs with EtherTAP. For the latest version, refer to <https://procentec.com/service-support/software-firmware/>



## 3. EtherTAP Manager

The installer that comes with the drivers also installs a tool called ProfiShark Manager. This tool allows you to change behavior of the EtherTAP. The most important settings are the 'Capture settings' in the Features tab:




Figure 3 – Settings for Wireshark analysis.

### 3.1 Features tab

The following configurable options/settings are available:

- Timestamp enable/disable
- Transmit CRC errors
- Keep CRC32
- Disable port A and/or port B
- Packet slicing

Timestamp enable/disable (unchecked and disabled by default)

If checked, a Unix formatted timestamp is appended in the header of the packet data. This timestamp can be interpreted by the Profitap Wireshark dissector in Live Capture mode.

Transmit CRC errors (unchecked and disabled by default)

You may decide to keep packets corrupted by a CRC error. Deselect the checkbox 'Transmit CRC errors' to include those packets upstream to the Analyzer during your analysis.

Keep CRC32 (unchecked and disabled by default)

If checked, the CRC32 information (32-bit Frame Check Sequence) located at the end of the packets will be kept in the capture. FCS can be interpreted in Wireshark (Edit \ Preferences \ Protocols \ Ethernet \ Assume packets have FCS).

Disable port A and/or port B (unchecked and disabled by default)

If checked, frames from port A or B will not be captured.

Packet slicing (unchecked and disabled by default)

Enabling this feature will result in dropping the payload of every frame captured, keeping only the header information (the first 128 bytes) up to the application layer.

### 3.1.1 Firmware update

The tool can automatically check and update the firmware of the EtherTAP for you. If the EtherTAP is connected to your computer, and if the computer has an Internet connection, it will perform an update automatically. Simply confirm the dialog box.

Manual checking of the firmware, and updating it, is also possible.

## 3.2 Capture tab

The EtherTAP can capture traffic without the need for third-party capture software. This Direct Capture is performed at the driver level, prior to all network stacks and frame processing. Direct Capture provides the best performance for traffic capture. If Live Capture performance proves to be insufficient (e.g. software packet drops when attempting to capture many small packets), using Direct Capture will solve the issue. The Capture tab contains the controls for the Direct Capture feature. The captured data is saved to a PCAP Next Generation file (.pcapng) with hardware-generated packet timestamps.

## 4. Technical Data

Technical Data	
Dimensions, weight	
EtherTAP 100	55 x 102 x 24 cm 2.17 x 4.02 x 0.94 inch 145 grams
EtherTAP 1G	69 x 124 x 24 mm 2.72 x 4.88 x 0.94 inch 176 grams
System requirements	
Operating system	Windows 7 / 8 / 10 (both 32 bits & 64 bits supported) Linux MacOS
Processor	Dual Core
Memory	4GB
Connectivity	USB 3.0
Power	
EtherTAP 100	Powered by USB 2.0 or USB 3.0 Optional External 5V / 1A power input
EtherTAP 1G	Powered by USB 3.0 Optional External 5V / 1A power input Important: Disconnecting the USB 3.0 cable also interrupts the connected Ethernet cables for 1-2 seconds.
Max. network latency	
At 10 Mbit/s (only EtherTAP 1G)	6600 ns
At 100 Mbit/s (only EtherTAP 1G)	660 ns
At 1000 Mbit/s (only EtherTAP 1G)	370 ns
Other	
Compliance	RoHS, CE, FCC class A
Operating temperature range	0 to +50 °C — 32 to 122 °F
Storage temperature range	-40 to +80 °C — -40 to 176 °F
Relative humidity	10 to 95%, non-condensing

# 5.Products and spare parts

Component	Order code	Remarks
EtherTAP 100 (10 / 100 Mbit)	513-00011A	<ul style="list-style-type: none"><li>• EtherTAP 100</li><li>• USB 3.0 cable (1.8 meter)</li><li>• Drivers on USB-stick</li><li>• Protective pouch</li></ul>
EtherTAP 1G (10 / 100 / 1000 Mbit)	513-00021A	<ul style="list-style-type: none"><li>• EtherTAP 1G</li><li>• USB 3.0 cable (1.8 meter)</li><li>• Drivers on USB-stick</li><li>• Protective pouch</li></ul>

## 6.Revision history

Version 1.0.0

- Initial version.

Version 1.0.2

- About PROCENTEC section updated
- Formatting
- Distributor List updated

## Sales offices and distributors

### HEADQUARTERS

PROCENTEC  
Vlasmarkt 1  
3011 PW, Rotterdam  
Netherlands

T: +31-(0)174-671800  
F: +31-(0)174-671801  
E: [info@procentec.com](mailto:info@procentec.com)  
I: [www.procentec.com](http://www.procentec.com)

### ARGENTINA

eFALCOM  
Alcorta 2411  
B1744 - Moreno  
Buenos Aires  
Argentina

T: +54 237 46 31 151  
F: +54 237 46 31 150  
E: [santiago.falcomer@efalcom.com](mailto:santiago.falcomer@efalcom.com)  
I: [www.efalcom.com.ar](http://www.efalcom.com.ar)

### BELGIUM and LUXEMBOURG

Bintz Technics N.V.  
Brixtonlaan 23  
B-1930 Zaventem  
Belgium

T: +32 2 720 49 16  
F: +32 2 720 37 50  
E: [bloemen@bintz.be](mailto:bloemen@bintz.be)  
I: [www.bintz.be](http://www.bintz.be)

### BRAZIL

Westcon Instrument. Indl Ltda  
Rual Alvaro Rodrigues, 257  
São Paulo – SP  
Brazil - CEP 04582-000

T: +55 11 5561-7488  
F: +55 11 5093-2592  
E: [paolo@wii.com.br](mailto:paolo@wii.com.br)  
I: [www.wii.com.br](http://www.wii.com.br)

### CANADA

**Streamline Process Management Inc.**  
#3, 4351 – 104 Ave SE  
Calgary, Alberta T2C 5C6  
Canada

T: +1 403 225 1986  
F: +1 587 585 2828  
E: [admin@streamlinepm.com](mailto:admin@streamlinepm.com)  
I: [www.streamlinepm.com](http://www.streamlinepm.com)

### JCom Automation

1115 Whitefield Dr.  
K9J 7P4, Ontario  
Canada

T: 1 705 868 8745  
I: [www.icomautomation.ca](http://www.icomautomation.ca)

### CHILE

RP Ingenieria Limitada  
Tucapel 92 oficina 52  
Concepción  
Chile

T: +56-(0)41-2469350  
F: +56-(0)41-2522592  
E: [rodrigopinto@rpingenieria.cl](mailto:rodrigopinto@rpingenieria.cl)  
I: [www.rpingenieria.cl](http://www.rpingenieria.cl)

### CHINA

PROCENTEC Beijing  
Room E-1115 WangJingYuan YouLeHui  
ChaoYang  
Beijing  
China

T: +86(10)84766911 or 84787311  
F: +86(10)84766722  
E: [info@procentec.net](mailto:info@procentec.net)  
I: [www.procentec.net](http://www.procentec.net)

### CZECH REPUBLIC

FOXON s.r.o.  
Polní 367  
460 01 Liberec 12  
Czech Republic

T: +420 484 845 555  
F: +420 484 845 556  
E: [foxon@foxon.cz](mailto:foxon@foxon.cz)  
I: [www.foxon.cz](http://www.foxon.cz)

## DENMARK

ProSaiCon  
Jernbanegade 23B  
DK 4000 Roskilde  
Denmark

T: +45 70 20 52 01  
F: +45 70 20 52 02  
E: hfj@prosaicon.dk  
I: [www.prosaicon.dk](http://www.prosaicon.dk)

## EGYPT

MTSE  
7, Amin Annis St., 4th Sec.  
11341 Cairo  
Egypt

T: +20 2 241 475 07  
F: +20 2 229 031 60  
E: hassan.mahdy@mtse.com.eg  
I: [www.mtse.com.eg](http://www.mtse.com.eg)

## ESTONIA

Saksa Automaatika OU  
Peterburi Tee 49  
Tallinn  
EE-11415 Estonia

T: +372 605 2526  
F: +372 605 2524  
E: [info@saksa-automaatika.ee](mailto:info@saksa-automaatika.ee)  
I: [www.saksa-automaatika.ee](http://www.saksa-automaatika.ee)

## FINLAND

Hantekno Oy  
Kalliotie 2  
04360 Tuusula  
Finland

T: +358 40 8222 014  
E: [info@hantekno.com](mailto:info@hantekno.com)  
I: [www.hantekno.fi](http://www.hantekno.fi)

## FRANCE

AGILiCOM  
Bâtiment B  
1, rue de la Briaudière  
Z.A. La Châtaigneraie  
37510 BALLAN-MIRE  
France

T: +33 247 76 10 20  
F: +33 247 37 95 54  
E: [jy.bois@agilicom.fr](mailto:jy.bois@agilicom.fr)  
I: [www.agilicom.fr](http://www.agilicom.fr)

## GERMANY

PROCENTEC GmbH  
Rittnertstraße 19  
D-76227 Karlsruhe  
Germany

T: +49-(0)721 831 663-0  
F: +49-(0)721 831 663-29  
E: [info@procentec.de](mailto:info@procentec.de)  
I: [www.procentec.de](http://www.procentec.de)

## GREECE

**ETA ENERGEIA Ltd**  
165 Philadelphias str.  
Acharnai ,Athens  
Greece

T: +30 6945670846  
F: +30 2310517103  
E: [info@eta.gr](mailto:info@eta.gr)  
I: [www.eta.gr/en](http://www.eta.gr/en)

## INDIA

**UL Engineering Services & Software Pvt Ltd**  
Nirman Classic,  
Katraj-Kondhwa Road,  
Katraj, Pune-411046  
India

T: +91-202 696 0050  
F: +91-202 696 2079  
E: [dileep.miskin@ulepl.com](mailto:dileep.miskin@ulepl.com)  
I: [www.ulepl.com](http://www.ulepl.com)

Automation Combine  
B.R House, 4<sup>th</sup> Floor  
Hennur Main Road  
Bangalore 560043, India

T: +98 452 84550  
F: +93 421 37534  
W: [www.automationcombine.in](http://www.automationcombine.in)

## IRELAND

PROFIBUS Ireland  
Automation Research Centre  
University of Limerick  
National Technology Park, Plassey  
Limerick  
Ireland

T: +353-61-202107 or +35361240240  
F: +353-61-202582  
E: [info@profibus.ie](mailto:info@profibus.ie)  
I: [www.profibus.ie](http://www.profibus.ie)

## ISRAEL

**Instrumentics Industrial Control**  
8 Hamlacha St.  
New Industrial Zone  
Netanya, 42170  
Israel

T: +972-9-8357090  
F: +972-9-8350619  
E: [info@instrumentics-ic.co.il](mailto:info@instrumentics-ic.co.il)  
I: [www.inst-ic.co.il](http://www.inst-ic.co.il)

## ITALY

PROCENTEC Italy  
Via Branze n. 43/45  
25123 Brescia  
Italy

T: +39 030 200 8610  
F: +39 030 238 0059  
E: [www.procentec.it](http://www.procentec.it)  
W: [www.procentec.it](http://www.procentec.it)

## JAPAN

TJ Group  
C/O Japanese PROFIBUS Organisation  
West World Building 4F  
3-1-6 Higashi-Gotanda,  
Shinagawa-ku,  
Tokyo, 141-0022  
Japan

T: +81-3-6450-3739  
F: +81-3-6450-3739  
E: [info@profibus.jp](mailto:info@profibus.jp)

## KOREA

Hi-PRO Tech. Co., Ltd.  
#2802, U-Tower, 1029  
Youngduk-dong, Giheung-gu  
Yongin-Si, Kyunggi-do,  
446-908 Korea

T: +82 82-31-216-2640  
F: +82 82-31-216-2644  
E: [chays@hiprotech.co.kr](mailto:chays@hiprotech.co.kr)  
I: [www.profibus.co.kr](http://www.profibus.co.kr)

## MEXICO

F&G GLOBAL Equipment  
Rómulo Garza 205  
Col. Industrias del Vidrio  
San Nicolas de los Garza, NL

T: +81 1933 7754  
E: [ventas@FGequipment.com](mailto:ventas@FGequipment.com)  
W: [www.fgequipment.com](http://www.fgequipment.com)

## NETHERLANDS

PROCENTEC B.V.  
Klopperman 16  
2292 JD Wateringen  
Netherlands

T: +31 (0)174 671800  
F: +31 (0)174 671 801  
E: [info@procentec.com](mailto:info@procentec.com)  
I: [www.procentec.com](http://www.procentec.com)

## NEW ZEALAND

Mantis Systems  
34 Glasgow St.  
Dunedin  
New Zealand

T: +643 455 6072  
F: +31 (0)174 671 801  
E: [tbaldock@mantis-sys.co.nz](mailto:tbaldock@mantis-sys.co.nz)  
I: [www.mantis-sys.co.nz](http://www.mantis-sys.co.nz)



**NORWAY**

Nortelco Automation AS  
Johan Scharffenbergs vei 95  
N-0694 Oslo  
Norway

T: +47 22 57 61 00  
E: [post@nortelcoautomation.no](mailto:post@nortelcoautomation.no)  
I: [www.nortelcoautomation.no](http://www.nortelcoautomation.no)

**PAKISTAN**

**OTC**  
Suite No. 4, 1<sup>st</sup> Floor Liberty Heights  
Main Boulevard Gulberg  
Lahore - 54660  
Pakistan

T: +92 42 3587 2667-9 Ext. 117  
F: +92 42 3587 2670  
E: [nsm@otc.com.pk](mailto:nsm@otc.com.pk)  
I: [www.otc.com.pk](http://www.otc.com.pk)

**PERU**

**ControlWare**  
Jr. Los Silicios 5409  
Los Olivos - L39  
Peru

T: +51 1637 3735  
F: +51 1528 0454  
E: [info@controlware.com.pe](mailto:info@controlware.com.pe)  
I: [www.controlware.com.pe](http://www.controlware.com.pe)

**POLAND**

INTEX Sp. z o.o.  
ul. Portowa 4  
44-102 Gliwice  
Poland

T: +48 32 230 75 16  
F: +48 32 230 75 17  
E: [intex@intex.com.pl](mailto:intex@intex.com.pl)  
I: [www.intex.com.pl](http://www.intex.com.pl)

**PORTUGAL**

IndustrialSys  
Rua Alexandre Herculano  
Nº25,3530-144 Mangualde  
Portugal

T: +351 96 716 1605  
I: [www.iindustrialsys.pt](http://www.iindustrialsys.pt)  
E: [joao.costa@industrialsys.pt](mailto:joao.costa@industrialsys.pt)

**ROMANIA**

S.C. SVT Electronics S.R.L.  
Brăila 7  
540331 Tg-Mure  
Romania

T: +40 365 809 305  
F: +40 365 809 305  
E: [sajgo.tibor@svt.ro](mailto:sajgo.tibor@svt.ro)  
I: [www.svt.ro](http://www.svt.ro)

**RUSSIA**

Diagnostics and Monitoring  
St. Lutova 4 – 60  
398036, Lipetsk  
Russia

T: +7 910 251 66 74  
E: [rubanova.oi@gmail.com](mailto:rubanova.oi@gmail.com)

**SAUDI ARABIA**

ASM Process Automation  
Al-Zahra Dist. – Attas st.  
cross section with helmy Kutby St.  
Villa no.25  
Jeddah-21553  
Saudi Arabia

T: +966 2 691 2741  
F: +966 2 682 8943  
E: [info@asmestablishment.com](mailto:info@asmestablishment.com)  
I: [www.asmestablishment.com](http://www.asmestablishment.com)

**SERBIA**

MR Process Equipment  
Tribalska 15  
11050 Zvezdara  
Serbia

T: +381 60 5140 513  
E: [mr@mrprocessequipment.com](mailto:mr@mrprocessequipment.com)  
I: [www.mrprocessequipment.com](http://www.mrprocessequipment.com)

## SINGAPORE / SOUTH EAST ASIA

Allegro Electronics  
236 Serangoon Avenue 3 07-98  
Singapore 550236

T: +65 628 780 63  
E: [sales@allegro.com.sg](mailto:sales@allegro.com.sg)  
I: [www.allegro.com.sg](http://www.allegro.com.sg)

Gissmatic Automatisierung Pte Ltd (Malaysia)  
318 Tanglin Road 01-34  
Singapore 247979

T: +65 900 912 76  
E: [sales@gissmatic.com](mailto:sales@gissmatic.com)  
I: [www.gissmatic.com](http://www.gissmatic.com)

## SLOVAKIA

FOXON s.r.o.  
Polní 367  
460 01 Liberec 12  
Czech Republic

T: +420 484 845 555  
F: +420 484 845 556  
E: [foxon@foxon.cz](mailto:foxon@foxon.cz)  
I: [www.foxon.cz](http://www.foxon.cz)

## SOUTH AFRICA

IDX  
1 Weaver Street  
Fourways  
Johannesburg  
South Africa - 2191

T: +27(11) 548 9960  
F: +27(11) 465-8890  
E: [sales@idxonline.com](mailto:sales@idxonline.com)  
I: [www.idxonline.com](http://www.idxonline.com)

## SPAIN

**LOGITEK, S.A**  
**Ctra. de Sant Cugat, 63 Esc. B Planta 1ª**  
**Rubí (BARCELONA), 08191**  
Spain

T: **+34 93 588 6767**  
E: [xavier.cardena@logitek.es](mailto:xavier.cardena@logitek.es)  
I: [www.logitek.es](http://www.logitek.es)

## SWEDEN

Nortelco Automation AS  
Johan Scharffenbergs vei 95  
N-0694 Oslo  
Norway

T: +47 22 57 61 00  
E: [post@nortelcoautomation.no](mailto:post@nortelcoautomation.no)  
I: [www.nortelcoautomation.no](http://www.nortelcoautomation.no)

## SWITZERLAND

EME AG  
Lohwisstrasse 50  
CH-8123 Ebmatingen  
Switzerland

T: +41 44 982 11 11  
E: [mhauri@eme.ch](mailto:mhauri@eme.ch)  
I: [www.eme.ch](http://www.eme.ch)

## TAIWAN

Orion Energy Technology  
3F, No. 2, Aly. 6, Ln. 109, Sec. 2, Huanshan Rd.  
Neihu District, Tapei City  
114, Taiwan

T: +886 9 370 270 96  
E: [jackychiu76@gmail.com](mailto:jackychiu76@gmail.com)

## TURKEY

Emikon Otomasyon  
DES Sanayi sitesi 103 sokak  
B-7 blok No:16 Yukari Dudullu / Umraniye  
Istanbul 34776  
Turkey

T: +90 216 420 8347  
F: +90 216 420 8348  
E: [tolgaturunz@emikonotomasyon.com](mailto:tolgaturunz@emikonotomasyon.com)  
I: [www.emikonotomasyon.com](http://www.emikonotomasyon.com)

## UNITED ARAB EMIRATES

**Synergy Controls**  
907, IT Plaza Silicon Oasis :  
Dubail  
United Arab Emirates

T: +971 4 3262692  
F: +971 4 3262693  
E: [sales@synergycontrols.ae](mailto:sales@synergycontrols.ae)

#### UNITED KINGDOM and N. Ireland

PROCENTEC UK  
Digital World Center  
1 Lowry Plaza, Suite 620  
The Quays, Salford  
M50 3UB Manchester  
United Kingdom

T: +44-(0)753 430 7696  
E: [info@procentec.com](mailto:info@procentec.com)  
I: [www.procentec.co.uk](http://www.procentec.co.uk)

iTech  
Unit 1  
Dukes Road  
Troon  
Ayrshire KA10 6QR  
United Kingdom

T: +44 (0)1292 311 613  
F: +44 (0)1292 311 578  
E: [sales@itech-troon.co.uk](mailto:sales@itech-troon.co.uk)  
I: [www.itech-troon.co.uk](http://www.itech-troon.co.uk)

Parkelect Ltd.  
84 Dargan Road  
Belfast  
BT3 9JU  
N. Ireland

T: +44 2890 777743  
F: +44 2890 777794  
E: [jgillan@parkelect.co.uk](mailto:jgillan@parkelect.co.uk)  
I: [www.parkelect.co.uk](http://www.parkelect.co.uk)

#### UNITED STATES

Grid Connect Inc.  
1630 W. Diehl Road  
Naperville, Illinois 60563  
USA

T: +1 630 245-1445  
F: +1 630 245-1717  
E: [sales@gridconnect.com](mailto:sales@gridconnect.com)  
I: [www.gridconnect.com/procentec.html](http://www.gridconnect.com/procentec.html)

#### VIETNAM

Bavitech Corporation  
42 Truong Son Street  
Ward 2, Tan Binh District  
Ho Chi Minh City  
Vietnam

T: +84-8-3547 0976  
F: +84-8-3547 0977  
E: [hai.hoang@bavitech.com](mailto:hai.hoang@bavitech.com)  
I: [www.bavitech.com](http://www.bavitech.com)

For the up to date list of the Sales Offices and Distributors see [www.procentec.com/company/distributors/](http://www.procentec.com/company/distributors/). If your country or region is not listed, please contact us. We are still searching for distributors who can cover complete areas or countries.

# Order codes

Component	Order code	Remarks
EtherMIRROR 10/100 Mbit	513-00031	
works together with: EtherTAP 10/100	513-00011A	
EtherMIRROR 1G	513-00032	
works together with: EtherTAP 1G	513-00021A	

# About PROCENTEC

PROCENTEC are an independent Dutch company that supply products, training and consultancy to the Industrial Automation Market. Of primary focus is the development and manufacturing of automation products for PROFIBUS, PROFINET and Industrial Ethernet.

Some of our products are the most recognized solutions on the Market today. ProfiTrace, our mobile troubleshooting and maintenance tool has established itself as one of the most pioneering, yet essential tools available to engineers. In contrast our robust ProfiHub has, over the last decade, established itself as the go-to solution for ensuring a reliable network infrastructure. The combination of these products within our ComBricks solution has seen PROCENTEC become the primary manufacturer of network components with the integrated capability for remote monitoring and remote asset-management.

Our training facility, the PROCENTEC Academy, has certified over 4000 engineers to implement and maintain their PROFIBUS and PROFINET networks to the highest standards available.

The PROCENTEC Competence Centre has established itself as the leading consultancy on PROFIBUS and PROFINET projects worldwide, advising on architecture, engineering, training and commissioning. Once a network is commissioned, we have experts available 24/7 to answer questions with maintenance or help troubleshooting a problem.

## Products

- Atlas and Mercury
- Osiris Software
- EtherTAP and EtherMIRROR
- ProfiHub
- ProfiTrace
- ComBricks
- VPGate
- PROFINET tools
- Cables & Connectors

## Services

- On-site & Online Support
- Network Audit
- Network Certification
- Consultancy
- Testlab & Democenter
- Competence Center

## Training

- PROFIBUS training courses
- PROFINET training courses
- Product training courses



Your network partner.

---

**PROCENTEC Commercial Office**

Vlasmarkt 1  
3011 PW, Rotterdam

---

**PROCENTEC Delft**

Stationsplein 10  
2611 BV, Delft

---

Tel. 0174-671 800  
Fax 0174-671 801  
Email [info@procentec.com](mailto:info@procentec.com)